No.

200500088

TO ALL TO WHOM THESE; PRESENTS SHALL COME:

Pioneer Hi-Bred International, Inc.

There has been presented to the

## Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUISTO ANNEXED AND MADE A part hereof, and the various requirements of LAW in such cases made and provided have been COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(5) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICADIT(S) AND THE SUCCESSORS. HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF YWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY  ${\sf LAW}$ , the CHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT. OR RTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION. OR STOCKING IT FOR ANY OF THE PURPOSE, OR CONDITIONENG IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

#### SOYBEAN

'96M60'

In Vestimon Therest, I have hereunto set my hand and caused the seal of the Plant Bariety Protection Office to be affixed at the City of Washington, D.C. this twenty-third day of June, in the year two thousand and five.

PAGE 12/25 \* RCVD AT 9/29/2005 10:22:17 AM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/26 \* DNIS:2738300 \* CSID:515 334 6883 \* DURATION (mm-ss):06-58

REPRODUCE LOCALLY, include form number and date on all reproduction  us, or partition or agriculture AGRICULTURE SERVICE SCHOLC AND EXPONED OF THE VARIETY PROTECTION DEFICE  APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICAT (Instructions and information collection burgers attended on treverse)				The Internity philosoparts are made in accordance with the Preservy Act of 1974 JS LLS.C. SSTe) and the Preserve Reduction Act (PRA) of 1993.				
1, NAME OF CHARER Plonder Hi-turn International, Inc				7. TEMPORANY DESEMBLICH OR COMPERMENTAL NAME			3. VATIETY MARKE	
A ADVANCES: prompt and No., or R.C.D. No. Oby, State, and EIP Code, and Country TOO N.W. 62" Amortus J. C.			•	B. TCLEPHONE party page cod 515-254-2538			PYPORIDABLE A A A A A A	
7. IF THE OWNER NAMED IS NOT A PERSON, GIVE FORM OF CROWNER NAMED IS NOT A PERSON, GIVE FORM OF STATE OF DICTION OF STATE OF D				D. GIVE PORATION	9. DATE OF BIODRIPORATION		1/18/2005	
COOPERING AND ADDRESS OF OWNERS R Dwise Behaviol, Ph. D. 7400 N.W. Of Arrendo 100 Arrendo	CPPESENTATIVE(I) TO SEE Some Callining, Ess 7 100 N.W. 250 Awarine EO Bost 1000 Johnston, IA 50131-1000	RVE IN THIS JAPPILIC	ATION. (Fire	t porson Exect will	May 6, 1926		FLING AND EXAMENATION FEET  SALSO OD  DATE 1/18/2005  CENTIFICATION FEET  1 4 32	
11. TCLEPHONE (Include Area caria) \$15-234-2838	12. FAX (Include area or	· · · · · · · · · · · · · · · · · · ·	13. E-MA Curio screnid	L.		14. dRd Soytepan	DATE S/11/2005	
18. Childre APPROPRIATE BOX Fort IT-ACT reverse)  2.	ng Hatory of the Variety POTHER TON OF Variety Islan of the Variety (Optional) Islan of the Variety (Optional) Islan of the Owner's Community Island of the Ow	b r propagated Verletine rd in en epproven prit	1	O. DOES THE OIL VARIETY DE : IF YES, WHICH DOES THE OIL LIMITED AS 11 IF YES, SPEC. MARGER 1.2,	(IV YES, COMMON PRIME 20  AND IN STREET HAND SHOOL  MIRE II STREET HAN THE OF IN  MIRE CONTROL OF IN  MIRE CONTROL  MIRE CONTROL	DE THUS CLASSEST ATION G 6	TES NO PERTIFICO DESTINACIO DE CENTRACIO DE	
22. THIS THE VANUETY (INCLUDING ANY HARVESTED MAY (RUAL) OR A HYSTUD PRODUCED FROM THIS VARIETY BEEN SOLD, DEPOSED OF, TRANSFERRED, ON USED IN THE U.S. OR OTHER COLUMNINGS.  YES SUBMITTED  If YES IN NO.  If YES AND THE CATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE FOR EACH CITUMTRY AND THE CIRCUMSTANCES. PRIMER WAS ARE SOCIED REQUIRED.			USE (a,)	IF YES, CAYE COUNTRY, DATE OF FILING OR REQUANCE AND ASSIGNED REFERENCE HUMBER. (PROFES HIS SAMES PERFARED OR REALING)				
24. The Deviane deplate that a visible stempte of the a tuber propagated sensing a tissue cuts This teachingtood owner(s) infant the owner and by enstand to protection under this justice Owner(s) ts(aws) telepresed that begin represe	minror of Section 42 of the Plan	N Variety French Ton &		-ue cenese(s) m/s	d upon request in amortance w bertitimity. The halfsty is neer, distinct, un	eith much regul	bilions 99 May be applicable, or ble #6 Populand in Section 42.	
Dans 7 John	VCV	- Processon and regular	er ponstress.	SNATURE OF OV				
CATO H. SCHMICH		· · · · · · · · · · · · · · · · · · ·	M	ME (Plotte peri	er kpc)	•		
APACITY OR TITLE vector, Technology Integration and Academies 470 (04-61) Conigned by the Plant Veriety I troit		12/25	i	PACITY OR TITL			DATE	
			⊶u (ox-66	) which is atmisful	*. (See revening for Itset	cion ed si	arveiller collection percian objerve-O	

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the toflowing items must be received in the PVPO: (1) Completed application form eigned by the owner; (2) completed exhibits A, B, C, E; (3) for a send reproduced variety at least 2,500 untreated sends, for a hybrid variety at least 2,500 untreated sends, for a hybrid variety at least 2,500 untreated sends, for a hybrid will reproduce an entire plant) tissue culture will be deposited and meintained in an approved public repository. (4) check drawn on a U.S. bank for \$2,703 (\$320 will be held in the PVPO for not more than 90 days, then returned to the application at unfiled. Mall application and other requirements to Plant Variety Protections Office, AMS, USDOA, Room 500, NAL, Bulkfing, 10,200 Beltimore Avenue, Betsville, MD 20705-2151. Retain one gopy for your files. All items on the face of the complete of the certificate is allowed, you will be requested to send a check psyable to Treasurer of the United States' in the amount of \$320 for issuance of the Certificate. Certificates will be issued to owner, not keened or agent.

### Plant Variety Protection Office Yelephone: (301) 504-5518 FAX: (301) 504-5291

ITEM

Homepage: http://www.anz.usda.gov/acience/pvpo/pvp.htm

18a. Give:

(1) the genealogy, including public and commercial varieties, lines, or clones used, and the breading method;
(2) the details of subsequent stages of selection and faultiplication;
(3) evidence of uniformity and stability; and
(4) the type and frequency of variants during reproduction and multiplication and state how those variants may be identified

- 16b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most eiritier to one variety or a group of refeted varieties:

- identify these varieties and state all differences objectively.
   stock statistical data for characters expressed numerically and domonstrate that these are clear differences; and
   submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- (8c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- (ed. Optional additional characteristics and/or pholographs. Describe any additional characteristics that connot be accurately conveyed in Echibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease
- Be. Section 52(5) of the Act requires applicants to lumien a statement of the basis of the applicant's ownership. An Exhibit E form is evaluable from the PVPO.
- If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this diffurnative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Ruter: of Practice, Section 97.103).
- 11. See Section 83 of the Act for the Contents and Term of Plant Variety Protection
- 2. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- Section 5.5 of the Act for instructions on claiming the banefit of an earlier filing date.

1. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generalines that may be cortified.)

2. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety intuiting any harvested mutarial) or a hybrid produced from this variety has been sald, disposed of, transferred, or used in the U.S. or other countries.)

I. CONTINUED FROM FRONT (Please give the country, date of fiting or issuance, and assigned reference number, if the vertely or any component of the viety is protected by intellectual property right. (Plant Broader's Right or Palently.)

S. Patent 4,940,835 issued to Shah et al. as per the Roundup Ready Gene in this variety

YES: It is the responsibility of the applicant/owner to keep the PVPO mormed of any changes of address or change of ownership or assignment or owner's presentative during the life of the application/certificate. There is no charge for liting a change of address. The fee for iting a change of ownership or assignment or ownership or assignment of ownership and the second of the Act, and Sections 97.130, 97.131, 97.175(h) of the

avoid conflict with other variety names in use, the applicant must check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Eding 508, Beltsville Agricultural Respects Center—East, Beltsville, MD 20705. Telephone; [301] 504-8089.

Telephone; [301] 504-8089.

Telephone; [301] 504-8089.

Telephone [301] 504-8089.

Telep

Department of Aptichage (UDAs) problem description in all its programs and each bine on the beats of tape, c-los, national origin, grader, edicine, up, distribit, posticial brinds, second interesting, and market or many armonistic interesting and programs.) From the beats of tape, c-los, national origin, grader, edicine, up, distribit, posticial brinds, and market or many armonistic interesting and programs.) From the beat contact of UDAs, TARDET Come a 370-or TDBs. UNDA is an equal angularly provide and equipment. Completely, the contact of the beat brings are the beat brings and the beat brings are the beat brings a

# Exhibit A. Origin and Breeding History of the Variety

Soybean Variety 96M60

Variety 96M60 evolved from a cross made in the summer of 1998 in Mississippi with the following parentage:

9631/95895\*

\*95B95 line with the Roundup Ready (40-3-2) gene

Variety 96M60 is an F3-derived line which was advanced to the F3 generation by modified single-seed descent. The F3:4 Increase row of 96M60 was grown in Puerto Rico in the winter of 1999/00. Subsequently, 96M60 has undergone five years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants. On the basis of yield, resistance to Frogeys leaf spot, and resistance to Roundup branded herbicides, variety 96M60 was assigned a commercial number.

The purification block was grown in 2002 Memphis and 21 sublines were harvested. A two-ten (2/10) acre increase was grown in Argentina in the winter of 2002/03. Ninetcen (19) acres of parent seedstock (foundation seed equivalent) were grown in 2003 and approximately 589 acres of seedstock and production seed were grown in the summer of 2004.

res. 4. 2005 12:22PM

No. 0221 P. 6

## Exhibit B. Statement of Distinctness

Soybean Variety 96M60

Variety 96M60 is most similar to Hartz H6686RR. Both varieties have purple flowers, resistance to Frogeye leaf spot and resistance to Roundup branded herbicides. However, 96M60 has gray pubescence and imperfect black hila whereas H6686RR has tawny pubescence and black hila.

Variety 96M60 is also distinct from Asgrow AG5801. Both varieties have purple flowers, gray pubescence, imperfect black hillia and resistance to Roundup branded herbicides. However, 96M60 is susceptible to Race 3 Soybean cyst nematode and has a relative maturity of 6.6 (mld group VI) whereas AG5801 is resistant to Race 3 Soybean cyst nematode and has a relative maturity of 5.8 (late group V). For 96M60, variety response to cyst nematode races was determined from multiple year (2), replicated bioassay screening in a controlled growth chamber environment with soil media sufficiently Hospitals with rightalcass. In all cases, known resistant and susceptible checks are included in bioassay screens for data quality assurance.

Form Approved - ONE No. 0581-0055 of Information unless R digition is with ONE control marries to accorage 30 minutes per response, including the time Information.
i information, der, refigion, age, disability, printical beliefs, securi tr contribusionalitys of program information (Braille, buge pri
SW, Washington, DC 2025D-7410 or Cell (202) 730-5964
EXMIDIT ( (Soybean)
Tana array to a series
FOR OFFICIAL LESS ONLY
2 005 00 88
TEMORATION  SEPARATION  (ET 2/4/2004)  character of this variety in the boxes below.
ties entered in the same trial, Royal
• .
_
lter c Specify

A. MOR	PHOLOGY (Cont	inued)	•		-0	42 0 0 0 0 0 0
Cotyled	on Color:	•				
1	1 = YeBow .	2 = Green				
Seed Pro	otein Peroxidase Activi	y:				
0	1 = Low	2 = High				
Нуросол	tyl Color:					
4	1 = Green ('Evans' or 'Davis	· NEWTO DOLL	rith Bronze v Cotyledons th' or 'Tracy')	3 = Light Purple below Cotyledons	unifoli	rk Purple extending to olate leaves
Leaflet S	Shape:	( ) ( 002 4 0 4 )	m or gracy;	(Beeson' or 'Picke	('Hodg	san', 'Coker', or
3	1 to Lunccolate	2 = Oval	3 a Ovate	4 = Other (Please Sp.	ccify)	
Flower (	Color:					
2	1 = White	2 = Purple	3 = White wi	th a Purple Throat		
Pod Cok	or:				-	
1	1 = Tap	2 = Brown	3=Black			
Pubescen	ace Color:					
1	1 = Gray	2 = Brown (Ta	wny) 3=Lig	nt Tawny		
Plant Ha	bit:					
1	1 = Determinate	2 = Semi - Dete	rminate 3≃in	determinate 4 = Int	ermdeiste	
Materity	Group:			•		
09	1 = 000	2 = 00				
	6 ≈ III	2 = 00 7 = (V	3=0	4=I	\$ = M	
	11 = VIII	12 = 1X	8 = V 13 = X	9 = VI	10 ≈ V∏	
Monnie	· Subgroup:	A A.	13 = X	14 = XI	15 = XXX	
	oeogroup:				• •	
[6]	Please enter a value fi	rom 0 - 9				
B. DISEA:	SE REACTION	0 = Not Teste	d 1 = Suscepti	ble 2 = Resistant	1-7-	
Bocterial	•			a	3 = Tolerant	
0	Bacterial Pustule (Xa	nthomonas camp	estri pv. elvelnes	(Nakuna) Dve)		
1	Bacterial Blight Preu				ad Wilkier	
0	Wildlire Blight Preud					
T-470-2 00" =:						
	designed by the Plant Variety	Protection Office wit	Word 2000, Replace	a ST-470-2 (N2-99) which is	obsolete.	Page 2 of 6

·B. DIS	EASE REACTION	i (Continued)	0 ≃ Not Tested	1 = Susceptible	2 0 t	05000	88
		· (•••mana)	- 11-12 A CONC.	v — очисераців	2 = Resistant	3 = Tolcrant	
Fung	··]	oria glyciuesRemm	i)				
	Frugeye Leaf Spot	(Cercospora solia	a Hara)		•		
2	race I	0 race 2	- 7 <b></b>	O race 3			
Ō	race 5	O race 6			Please Specify)		
0	Target Spot (Cory)	sespora cassiicola (	Berk. Curt.) Wei)	<u></u>			
0	Downey Mildew (Pe	tranospora trifoliar	um var. manchurie	a (N±um.) Syd. ex	Gaum)		
0	Powdery Mildew (&	licrosphaera diffus	or Cke, and Pk.)				
0	Brown Stem Rot ()	hialophora gregati	Allington_Chan	sberhain) W. Gams			
0.	Stem Conker (Diag	orthe phaseolorum	(Cke. and FIL) Sa	cc. var. caplisora i	Athow and Caldwe	eli)	
1	Pod and Stem Bligh	t (Diaporine phas	eolorum (Cke. and	EB.) Sacc. var. soje	re (Lehman) Webi	<b>75.</b>	
0	Purple Scod Stain	(Cercospora kikue	hii (T. Matsu. and	Tomoyasu) Gurd	ener)		
1	Rhizoctonia Root Re	A (Rhizoclonia so	lant Kühn)				
Phytog	hthora Root Rot (Phys	ophthora megaspei	wa Drechs. Esp.	glycinea (Kuan I	(aiwin))		
0	race t 0	race 8	0 ruce 15	0 786	æ 22		
0	race 2	race 9	0 730±16	0	e 23		
0	race 3 0	race 10	0 race 17		e 24		
1	race 4 0	moe 11	0 race 18	0	<del>,</del> 25		
0	race 5	race 12	0 1900 19	<b>-</b>	: 26		
0	гасе 6	race i3	0 race20		er (Please Specif)	7)	
1	race 7	race 14	0 race 21	و با			
1	Bud Blight (Tobacco	Ringspot Virus)					
1	Yellow Mosaic (bean	Yellow Mosaic Vir	us)				
470-2 (07-4	)) designed by the Plant Varie	ay Proxection Office with	Word 2000, Replaces 5	T-470-2 (02-99) which	is obsolese.	Piero 3 of G	<u> </u>

red, 4. 2005 12:20PM No. 022	21 · P. 3
2005	88000
B. DISEASE REACTIONS (Continued) 0 = Not Yested 1 = Sunceptible 2 = Resistant 3	= Tolerabt
Fongal  1 Cowpea Mosaic (Cowpea Chlorotic Virus)	
Pod Mottle (Bezn Pod Mottle Virus)	
Seed Mottle (Soybean Mosaic Virus)	
Nematode	
Soybean Cyst Nematodo (Heterodero glycines Ichinobe)	
O rece 1 O rece 9	
0 race 2 0 race 5 0 race 14 1 race 5 0 Other (Please Specify)	
O Lance Nematode (Hopicalmus columbus Sheet)	
Control and Alvier Control	
O Northern Root Knot Nematode (Meloidogyne hopis Chitwood)	
O Peanus Root Knot Nematode (Meloidogyne arenaris (Neal) Chitwood)	
O Remiform Nemutodo (Botylenchus reniformus Linwood and Olivero)	
Javanese Nematode (Meloidogyne javanica (Treub) Chitwood)	
O Other Neumande (Fleure Specify)	
C. PHYSIOLOGICAL RESPONSES 0 a Not Tested 1 = Susceptible 2 = Resistant 3 =	Tokrant
2 Yron Chlorosis on Calcarrotta Soil	AURIENT
O Phospharus O Other (Please Specify)	•
O Boron	
O Abazzinsan	
O Salt	
① Drought	
470-2 (07-01) designed by the Plant Variety Protection Office units Word 2000. Replaces \$1-470-2 (02-99) which is obscious.	Page 4 of 6

D. INSECT REACTIONS	0 = Not Tested	1 = Susceptible	2 = Resistant	3 = Toler≠¤4
Funga)				
Mexican Beam Beetle (Epilachno	ı varivestis Mukant)			
O Potsto Leaf Hopper (Empoasca)	fabae (Harris))			
Other (Please Specify)				
E. HERBICIDE REACTIONS	0 = Not Tested	1 = Susceptible	2 = Resistant	
0 Metribuzin				
0 Bentagone				
1 Suifonylurea				
2 Glyphosate			•	
0 Glufosinate				
0 Pendimethalin		•		
Other (Please Specify)				
. TRANSGENIC COMPOSITION				
as the development of the subject variety is	ichided the insertion of	genetic material fr	om an organism o	ther than a soybean, or,
he removal of genetic material from the app yes, please complete the following informati		₩ Yo itional pages if page	□ No	
Please state the vector's name:		pages it neces	squ(y,	
Please state the vector components:				
Please describe the genetic material succes	sfully transferred into	the subject variety:		•
Please describe the insertion protocol:		• • • • • • • • • • • • • • • • • • • •		
A literature citation(s) explaining the for ranspenic Composition" portion of this for evector components and insert elements are velopment, Identification, and Characterization.	m. This section is fell	y addressed in the f	ollowing publicati	on. Specific details of
BIOCHEMICAL MARKERS				
ase describe any biochemical information uple Sequences Repeats, Restriction Fragm cessary.	here, which you believe acut Length Polymorph	will be belpful in G Isma, Isozymie Cha	urther describing recterization). U	the subject variety (e.g. se additional pages if
170-2 (07-01) designed by the Plans Variety Prosection (	Office with Word 2000. Repla	ces \$1,470-2 (02-99) whi	ich is obsoler:	Page 5 of 6
	•			20 2 40 4
				9

H. COMMENTS

10

# Exhibit D. Additional Description of the Variety

Soybean Variety 96M60

In Exhibit C we have identified variety 96M60 as susceptible to bacterial blight, brown spot, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic, pod mottle and seed mottle.

This does not mean that variety 96M60 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 96M60 to be immune to these problems. Therefore, we have chosen to be conservative and have identified the line as "susceptible".

Variety 96M60 is a mid Group 6 variety. If Group 6 varieties are divided into tenths, the relative maturity of 96M60 is 6.6.

REPRODUCE LOCALLY, include form number and edition date on a U.S. DEPARTMENT OF AGRICULTURE	ti reproductions.	FORM APPROVED - OMB No. 0581-00		
AGRICULTURAL MARKETING SERVICE	1974 (5 LLS,C. 552a) and the Paper	In accordance with the Privacy Act of Reduction Act (PRA) of 1995.		
STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). The information is held confidential until the certificate is issued (7 U.S.C. 2425).			
••	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	2. VARIETY NAME		
Planer Hi-Bred Intomational, Inc	XBV4CO4	96M80		
4, ADDRESS (Street and Ira., or R.F.D. No., City, Total, and ZIP, and Crushly)	S. TELEPHONE (Declade area couls)	5. FAX (Protecte Grow couls)		
7300 N.W. 62 <sup>rr</sup> Avenue F.D. Box 1004 Johnston, V. 60131-1004	\$15-25+-263#	515-230-2479		
	7. PVPO NUMBER	·		
	2005	88 000		
8. Does the applicent own all rights to the varialy? Mark an "X" in th If no, please explain.	в арргорияю Бюск.	X YES NO		
9. Is the applicant (individual or company) a U.S. National or a U.S.				
if no, give name of country	based company?	XYES NO		
10. Is the applicant the original owner?	If no, please answer one of the tol	lowing:		
a. If the original rights to variety were owned by individual(s), is a	~			
YES NO If no, give name of count		⊇{(¢)?		
	=			
b. If the original rights to vertexy were owned by a company(ios)  YES NO thing also appeared country		sed company?		
	•			
11. Additional explanation on ownership (If needed, use the reverse	or oxtra spece):			
Please Note:				
Plant vertety protection can only be afforded to the owners (not ticsus	ees) who ment the following critoria:			
<ol> <li>If the rights to the variety are owned by the original breeder, that pe helionel of a country which affords similar protection to nationals of</li> </ol>		of a UPOV mamber country, or		
<ol> <li>If the rights to the variety are owned by the company which employ nationals of a UPOV member country, or owned by nationals of a gamus and species.</li> </ol>				
3. If the applicant is an owner who is not the original owner, both the o	riginal owner and the audificant must me	ed one of the above exercis		
The original brooder/owner may be the Individual or company who direct for definitions.	ected the final breading. See Section 41	(a)(2) of the Plant Variety Protection		
According to the Paperwent Reduction Act of 110th, no persons are required to respond to a c for the information collection to OS41-0000. The time required to correctes this intermission or historical particular collections are recorded, according and maintaining the data mented, and the U.S. Department of Annotation (USDA).				
STATUS. (PART ON DOUBLES ORGAN) SO OF PROGRAMMY. PERSONS WITH RECORD WITH DRIVERS WHO MAY BE SERVED AND TRANSPORT OF TRANSPORT OF THE SERVED AND TRANSPORT OF TRA	ais of race, ontor, national oxigin, asec, religios, age, d Remedies mosns for oximinant pelon of program autor	restably, political budgets, and markes or ranging motion (productions print, evaluation, mit,) obsesses		
	pon. D.C. 20250, er call 1-800-245-6340 (volce) er (a	122) 730-1 137 (TDO), USIDA le sin equal		
1.470-E (04-90) (Destroy previous editions).	-			